

**MOSER  
PATTERSON &  
SHERIDAN, LLP**  
ATTORNEYS AT LAW

**RECEIVED  
CENTRAL FAX CENTER**

**MAY 18 2004**

3040 Post Oak Blvd. Suite 1500  
Houston, TX 77056-6582  
TEL 713.623.4844  
FAX 713.623.4846  
WWW.MPSLLP.COM

**OFFICIAL**

#10/068266

**FACSIMILE COVER SHEET**

**DATE:** May 18, 2004  
**TO:** Examiner Patrick Connolly  
**FAX NO:** 703/872-9306  
**COMPANY:** USPTO  
**FROM:** Randol W. Read  
**PAGE(S) with cover:** 5  
**ORIGINAL TO FOLLOW?** ☐ YES ☒ NO

**RESPONSE TO NOTICE OF DRAWING INCONSISTENCY  
WITH SPECIFICATION DATED APRIL 23, 2004**

**U.S. SERIAL NO.:** 10/068,266  
**FILING DATE:** February 6, 2002  
**INVENTOR:** Berg et al.  
**EXAMINER:** P. Connolly  
**GROUP ART UNIT:** 2877  
**CONFIRMATION NO.:** 9713

**CONFIDENTIALITY NOTE**

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

274683\_1

PATENT

Atty. Ckt. No. WEAT/0453

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:  
Berg et al.

Serial No.: 10/068,266

Confirmation No.: 9713

Filed: February 6, 2002

For: Highly Sensitive Cross Axis  
AccelerometerMAIL STOP ISSUE FEE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Group Art Unit: 2877

Examiner: Connolly, P.

Customer No. 36735

RECEIVED  
CENTRAL FAX CENTER

MAY 18 2004

OFFICIAL

CERTIFICATE OF FAX  
37 CFR 1.8I hereby certify that this correspondence is being facsimile  
transmitted to the Patent and Trademark Office to fax number  
703/872-9306 to the attention of Examiner Patrick Connolly on  
the date below:May 18, 2004  
Date*Randol W. Read*  
Randol W. ReadRESPONSE TO NOTICE OF DRAWING INCONSISTENCY  
WITH SPECIFICATION DATED APRIL 23, 2004

In response to the Notice of Drawing Inconsistency With Specification dated April 23, 2004, having a shortened statutory period for response set to expire on May 23, 2004, please enter this response for reasons discussed below. The Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/WEAT/0453/WBP, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

Amendments to the Specification begin on page 2 of this paper.  
Remarks/Arguments begin on page 4 of this paper.

Page 1

274117\_1